continuing to celebrate over 25 years as the performance leader

COR®BON

Glaser Safety Slug

President's Message...

We have just completed our 25th year in the Ammunition Business. I am proud to say that we are still a family owned American company! Once more, I want to thank all our valued customers for your continued loyalty and business. The demand for our products is at an all time high.

We are continuing to expand our DPX Hunting Rifle line in 2008. You asked for it and we are bringing it to you. 338 Lapua, 375 H&H, Remington Ultra Mag, and 416 Rigby just to mention a few. They are all loaded with the excellent Barnes Triple Shock bullet. It's the only bullet I trust to take down the biggest game and still hold together for the deepest penetration. If you are getting ready to go on that hunt of a lifetime; call our Technical Support Department and ask to talk to one of our Hunting Specialists. They have years of experience hunting with our products in North America, Alaska, and Africa. They will help you with ammunition and bullet selection that is optimum for your upcoming hunt. In this age of automated phone lines and call centers, when you call COR®BON, you always get to talk to a live customer service agent that speaks your language (Guns & Ammo).

For personal defense and law enforcement, we are now offering the 7.62x39 and the 6.8 SPC in the DPX line of ammo. Their ability to achieve superior tactical penetration is second to none. After a long absence, I am happy to say that the 300 Whisper is back. All three loads are back in stock. The 458 Socom is gaining momentum and we are ready to meet the demand. We have increased production for this impressive round and have the 300gr and 405gr in stock.

We are proud to announce the Elite World Class Thunder Ranch training center has teamed up with the distinctive reputation of COR®BON Ammunition to exclusively bring you Thunder Ranch Defensive Ammunition. Initial loads are; 9mm Luger +P 115gr DPX, 40 S&W 140gr DPX, and 45 Auto+P 185gr DPX. Unique packaging provides you with a recyclable, re-sealable box top and a built in tray, perfect for the environmentally conscientious shooter. They are available through our distributors, in our online store or through Thunder Ranch.

If you are ever in Sturgis, South Dakota, stop by and say hello. Come see our trophy room, and visit with our customer service reps. Don't forget to send us your hunting photos for possible use on our web site, our catalog and on our wall of fame. Include details of your hunt, ammo used and name and address. We would love to hear from you.

Peter R. Pi

President COR®BON/Glaser

Table of Contents

DPX.....4-5

Pow'RBall.....6-7

Glaser Safety Slug.....8-9

Traditional JHP.....10-11

COR®BON Hunter.....12-13

Performance Match.....14

Custom Loads.....15

Celebrating over 25 years as *The Performance Leader*





45 Auto+P 185gr DPX Velocity 1075 fps.

COR®BON's research and development team have designed an environmentally friendly line of ammunition, featuring a solid copper projectile.

COR®BON products have earned a distinctive reputation in the industry with our high energy JHP ammunition. Consistent with this reputation, we have combined the higher energy of our DPX line along with its deeper penetration to make this the optimum load for law enforcement, and civilian use.

DPX offers impressive expansion and deeper penetration with the solid copper Barnes X Bullet that retains 100% of its weight even when shot through barriers such as clothing and steel. The permanent crush cavity is also considerably larger than that of a typical JHP.

Part #	Caliber	Bullet Wt.	Velocity/Energy	B/L
DPX09115/20	9MM Luger +P	115gr DPX	1250fps/399ftlbs	4.0
DPX9X23125/20	9x23	125gr DPX	1350fps/506ftlbs	5.0
DPX10155/20	10MM AUTO	155gr DPX	1200fps/496ftlbs	4.6
DPX357125/20	357 MAG	125gr DPX	1300fps/469ftlbs	4.0
DPX357SIG125/20	357 SIG	125gr DPX	1350fps/505ftlbs	4.0
DPX38X125/20	38 SUPER AUTO+P	125gr DPX	1350fps/506ftlbs	5.0
DPX38110/20	38 SPECIAL+P	110gr DPX	1050fps/269ftlbs	4.0
DPX38080/20	380 AUTO	80gr DPX	1050fps/196ftlbs	2.5
DPX400CB155/20	400 CORBON	155gr DPX	1200fps/496ftlbs	5.0
DPX40140/20	40S&W	140gr DPX	1200fps/448ftlbs	4.0
DPX45GAP160/20	45 GAP	160gr DPX	1075fps/411ftlbs	4.0
DPX45AR160/20	45 AUTO RIM	160gr DPX	1050fps/392ftlbs	6.0
DPX45160/20	45 AUTO	160gr DPX	1050fps/392ftlbs	3.0
DPX45185/20	45 AUTO+P	185gr DPX	1075fps/475ftlbs	5.0
DPX44M225/20	44 REM MAG	225gr DPX	1350fps/911ftlbs	8.375
DPX44S200/20	44 S&W SPL	200gr DPX	950fps/401ftlbs	4.0
DPX45C225/20	45 COLT+P**	225gr DPX	1200fps/720ftlbs	7.5
DPX454250/20	454 CASULL	250gr DPX	1650fps/1512ftlbs	7.5
HT460SW200/20	460S&W MAG	200gr DPX	2300fps/2350ftlbs	8.375
HT460SW275/20	460S&W MAG	275gr DPX	1825fps/2034ftlbs	8.375
DPX480275/20	480 RUGER	275gr DPX	1550fps/1467ftlbs	7.5
HT500S275/12	500S&W SPL	275gr DPX	1250fps/954ftlbs	4.0
HT500SW275/12	500S&W MAG	275gr DPX	1665fps/1688ftlbs	8.375
HT500SW325/12	500S&W MAG	325gr DPX	1800fps/2338ftlbs	8.375
DPX68110/20	6.8MM REM SPC	110gr DPX	2400fps/1407ftlbs	16.0
DPX762X39123/20	7.62X39	123gr DPX	2300fps/1445ftlbs	16.0

***Not loaded to SAAMI Specifications • B/L is Barrel Length*

Part #	Caliber	Bullet Wt.	Velocity/Energy	B/L
DPX2225053/20	22-250 REM	53gr DPX	3550fps/1483ftlbs	24.0
DPX2225062/20	22-250 REM	62gr DPX	3500fps/1687ftlbs	24.0
DPX22353/20	223 REM	53gr DPX	3000fps/1059ftlbs	16.0
DPX22362/20	223 REM	62gr DPX	2825fps/1099ftlbs	20.0
DPX24385/20	243 WIN	85gr DPX	3200fps/1933ftlbs	24.0
DPX2506100/20	25-06 REM	100gr DPX	3200fps/2274ftlbs	24.0
DPX257115/20	257 WBY MAG	115gr DPX	3200fps/2615ftlbs	24.0
DPX260120/20	260 REM	120gr DPX	2900fps/2241ftlbs	24.0
DPX270130/20	270 WIN	130gr DPX	3100fps/2775ftlbs	24.0
DPX270WBY130/20	270 WBY	130gr DPX	3360fps/3260ftlbs	26.0
DPX270WSM130/20	270 WSM	130gr DPX	3300fps/3144ftlbs	24.0
DPX280140/20	280 REM	140gr DPX	3000fps/2799ftlbs	24.0
DPX284140/20	284 WIN	140gr DPX	2900fps/2615ftlbs	24.0
DPX30100/20	30 CARB	100gr DPX	2025fps/911ftlbs	18.0
DPX3006168/20	30-06 SPRG	168gr DPX	2900fps/3138ftlbs	24.0
DPX3006180/20	30-06 SPRG	180gr DPX	2750fps/3023ftlbs	24.0
DPX300WM180/20	300 WIN MAG	180gr DPX	3000fps/3598ftlbs	26.0
DPX300WBY180/20	300 WBY	180gr DPX	3200fps/4094ftlbs	26.0
DPX300RUM180/20	300 RUM	180gr DPX	3300fps/4354ftlbs	26.0
DPX300WSM168/20	300 WSM	168gr DPX	3100fps/3586ftlbs	24.0
DPX3030150/20	30-30 WIN	150gr DPX	2300fps/1762ftlbs	20.0
DPX308130/20	308 WIN	130gr DPX	3000fps/2599ftlbs	24.0
DPX308168/20	308 WIN	168gr DPX	2600fps/2522ftlbs	24.0
DPX338225/20	338 WIN	225gr DPX	2800fps/3918ftlbs	24.0
DPX338L250/20	338 LAPUA MAG	250gr DPX	3000fps/4997ftlbs	26.0
DPX338RUM250/20	338 RUM	250gr DPX	2900fps/4670ftlbs	26.0
DPX375RUM300/20	375 RUM	300gr DPX	2750fps/5039ftlbs	26.0
DPX375HH300/20	375 H&H MAG	300gr DPX	2600fps/4504ftlbs	26.0
DPX41180/20	41 REM MAG	180gr DPX	1300fps/676ftlbs	4.0
DPX416350/20	416 RIGBY	350gr DPX	2750fps/5879ftlbs	26.0
DPX444225/20	444 MARLIN	225gr DPX	2200fps/2419ftlbs	18.0
DPX4570300/20	45/70 GOVT**	300gr DPX	1900fps/2405ftlbs	18.5
DPX458450/20	458 WIN MAG	450gr DPX	2250fps/5060ftlbs	26.0
DPX7MM08120/20	7MM-08 REM	120gr DPX	3000fps/2399ftlbs	24.0
DPX7MMRUM160/20	7MM RUM	160gr DPX	3200fps/3639ftlbs	26.0
DPX7WBY160/20	7MM WBY MAG	160gr DPX	3100fps/3415ftlbs	24.0
DPX7WSM140/20	7MM WSM	140gr DPX	3200fps/3184ftlbs	24.0
DPX7MM160/20	7MM REM MAG	160gr DPX	2925fps/3040ftlbs	26.0

***Not loaded to SAAMI Specifications • B/L is Barrel Length*



223 Rem. 62gr DPX Velocity 2825 fps.

Ken Cooper • Sturgis, South Dakota
270 WBY 130gr DPX

DPX Hunter is our line of premium hunting ammunition that utilizes the Barnes solid copper hollow point bullets. The bullets used in these loads assure consistent expansion combined with deeper penetration. Weight retention is 100%, even after breaking heavy bone.

Celebrating over 25 years as *The Performance Leader*



Glasers' patented Pow'RBall round was designed to enhance feeding in auto pistols. The jacketed bullets lead core is shaped into a specifically designed cavity that promotes deep penetration and high weight retention. We then capped it with a polymer ball to give it the feed profile of a round nosed bullet. Feeding is 100% in even the most finicky pistols. The polymer ball also keeps the bullet from getting clogged with clothing, the reason most hollowpoints fail to expand. Expansion is also slower and more controlled, enhancing weight retention. This bullet design gives excellent expansion and better penetration than a traditional jacketed hollow point with the feed reliability of a hardball. This ammunition will give you the confidence and peace of mind knowing you can count on it in a critical situation.



45 Auto+P 165gr Pow'RBall Velocity 1225 fps.



- Polymer Ball
- Enhanced Feeding
- Excellent Performance
- Penetration
- High Velocity
- Reduced Recoil

Part #	Caliber	Bullet Wt.	Velocity/Energy	B/L
PB38070/20	380 Auto	70gr Pow'RBall	1100fps/188ftlbs	3.0
PB09MAK70/20	9MM Makarov	70gr Pow'RBall	1250fps/242ftlbs	3.75
PB09100/20	9MM Luger +P	100gr Pow'RBall	1475fps/483ftlbs	4.0
PB9X23100/20	9X23	100gr Pow'RBall	1600fps/568ftlbs	5.0
PB10135/20	10MM Auto	135gr Pow'RBall	1400fps/588ftlbs	4.6
PB357100/20	357MAG	100gr Pow'RBall	1450fps/467ftlbs	4.0
PB357SIG100/20	357SIG	100gr Pow'RBall	1600fps/568ftlbs	4.6
PB38100/20	38 SPECIAL+P	100gr Pow'RBall	1150fps/294ftlbs	1.875
PB38X100/20	38 SUPER+P	100gr Pow'RBall	1525fps/516ftlbs	5.0
PB400CB135/20	400 CORBON	135gr Pow'RBall	1375fps/567ftlbs	5.0
PB40135/20	40S&W	135gr Pow'RBall	1325fps/526ftlbs	4.0
PB45GAP165/20	45GAP	165gr Pow'RBall	1075fps/424ftlbs	4.0
PB45165/20	45 Auto +P	165gr Pow'RBall	1225fps/550ftlbs	5.0

B/L is Barrel Length

Celebrating over 25 years as *The Performance Leader*

For over 35 years, Glaser Safety Slug has been the perfect choice for use in populated, urban areas. Glaser's composite design uses a special thin-wall jacket and a precision compressed lead shot core with a soft polymer tip. This construction provides optimum balance between penetration and fragmentation. The round nose profile guarantees feeding reliability. Stopping power is maximized by the complete dispersal of the bullet energy into the intended target with immediate shock and trauma. This rapid fragmentation delivers the energy into a large area. Reduced recoil allows a fast recovery for follow up shots if necessary. We feel that this makes Glaser the best choice for defensive situations.

Glaser Blue penetrates 5-7" in IWBA* protocol testing. It is produced with #12 shot. Glaser Silver is suggested for use in colder climate areas were heavy clothing or jackets require deeper penetration. It is produced with #6 shot. Both Glaser Silver and Blue will excel in any defensive situation. It is always important to know what is behind your target, but in worse case scenarios Glaser is the best for reducing ricochet and over penetration.

** International Wound Ballistics Association Protocol : 10% ordnance gelatin covered with four layers of denim.*

Custom Scored Jacket
Designed for controlled fragmentation.

Compressed Core
Large amounts of compressed #6 or #12 shot, with uniform density guarantees target accuracy.

Round Nose Design
Maximizes ballistic coefficient and effective range.



Hardball Profile
Polymer tip guarantees smooth feeding in all firearms.



357 Mag Glaser 80gr Velocity 1600 fps.

Part #	Description / 6 pak	Velocity / Energy	B/L
00200 / na	25 Auto 35gr	1100fps / 94ftlbs	2.0
00400 / na	32 Auto 55gr	1100fps / 148ftlbs	2.5
00450 / na	32 NAA 55gr	1250fps / 191ftlbs	2.5
00600 / 00800	380 Auto 70gr	1200fps / 224ftlbs	2.5
00700 / 00900	9MM Makrov 75gr	1150fps / 220ftlbs	2.5
01000 / 01200	9MM Luger +P 80gr	1500fps / 399ftlbs	4.0
01400 / 01600	38 Super Auto +P 80gr	1650fps / 483ftlbs	5.0
01800 / 02000	38 Special Std 80gr	1200fps / 256ftlbs	4.0
02200 / 02400	38 Special +P 80gr	1250fps /278ftlbs	3.5
02500 / 02700	357 SIG 80gr	1650fps / 484ftlbs	4.0
02600 / 02800	357 Magnum 80gr	1600fps /455ftlbs	4.0
03000 / 03200	40 S&W 115gr	1400fps / 501ftlbs	4.0
03400 / 03600	10MM Auto115gr	1650fps / 695ftlbs	4.0
06200 / 06400	400 CB 115gr	1650fps / 695ftlbs	5.0
03800 / 04000	44 S&W Special 135gr	1300fps / 507ftlbs	4.0
04200 / 04400	44 Magnum 135gr	1600fps /768ftlbs	4.0
04600 / 04800	45 Auto +P 145gr	1350fps / 587ftlbs	5.0
05000 / 05200	45 Colt+P 145gr**	1250fps / 503ftlbs	4.0
05400 / na	223 (5.56) 45gr	3375fps / 1138ftlbs	16.0
05600 / na	7.62x39 130gr	2300fps / 1527ftlbs	16.0
05800 / na	308 Win. 130gr	3000fps / 2599ftlbs	24.0
06000 / na	30-06 Spfld 130gr	3100fps / 2774ftlbs	24.0

*** Not loaded to SAAMI Specifications • B/L is Barrel Length*

Glaser Blue utilizes #12 shot compressed into a nearly solid form. The Glaser Blue produces immediate energy dispersal into the target, reducing the possibility of over penetration and creating abrupt stopping power. The numerous projectiles expand outward generating an effective wound cavity and creating a secondary stretch cavity.

Glaser Silver* is produced with #6 shot. With the silver load, you get much larger segments, deeper penetration and controlled energy release.

** Glaser Silver is not available in all calibers.*

Celebrating over 25 years as *The Performance Leader*

COR®BON made its reputation with "High Velocity" ammunition. This high velocity combined with our exclusively designed jacketed hollowpoint bullets create a very effective self defense load. Penetration and expansion in ordnance gelatin are excellent. With depth of penetration generally varying from 9-12", while expansion may range from 1.5-2 times the original bullet diameter, depending on caliber.

At COR®BON, we still believe that velocity is king! Higher energies enhance bullet performance and increase stopping power!



45 Auto +P 230gr Jacketed Hollowpoint Velocity 950 fps.

Part #	Caliber	Bullet Wt	Velocity/Energy	B/L
SD3260/20	32 Auto	60gr JHP	1050fps/147ftlbs	2.5
SD25NAA35/20	25NAA	35gr JHP	1200fps/112ftlbs	2.0
SD32NAA60/20	32NAA	60gr JHP	1200fps/192ftlbs	2.5
SD38090/20	380 Auto	90gr JHP	1050fps/220ftlbs	2.5
SD0990/20	9MM Luger+P	90gr JHP	1500fps/450ftlbs	4.0
SD09115/20	9MM Luger+P	115gr JHP	1350fps/466ftlbs	4.0
SD09125/20	9MM Luger+P	125gr JHP	1250fps/434ftlbs	4.0
SD300W125/20	300 Whisper	125gr JHP	2100fps/1224ftlbs	16.0
SD300W220/20	300 Whisper	220gr Subsonic	1040fps/529ftlbs	16.0
SD38110/20	38 Special+P	110gr JHP	1050fps/269ftlbs	1.875
SD38125/20	38 Special+P	125gr JHP	950fps/251ftlbs	1.875
SD357110/20	357 Mag	110gr JHP	1500fps/549ftlbs	4.0
SD357125/20	357 Mag	125gr JHP	1400fps/544ftlbs	4.0
SD357140/20	357 Mag	140gr JHP	1300fps/525ftlbs	4.0
SD38X115/20	38 Super Auto+P	115gr JHP	1425fps/519ftlbs	5.0
SD38X125/20	38 Super Auto+P	125gr JHP	1325fps/487ftlbs	5.0
SD9X23125/20	9X23	125gr JHP	1450fps/584ftlbs	5.0
SD357SIG115/20	357SIG	115gr JHP	1500fps/575ftlbs	4.0
SD357SIG125/20	357SIG	125gr JHP	1425fps/564ftlbs	4.0
SD40135/20	40S&W	135gr JHP	1325fps/526ftlbs	4.0
SD40150/20	40S&W	150gr JHP	1200fps/480ftlbs	4.0
SD40165/20	40S&W	165gr JHP	1150fps/485ftlbs	4.0
SD400CB135/20	400COR-BON	135gr JHP	1450fps/630ftlbs	5.0
SD400CB150/20	400COR-BON	150gr JHP	1350fps/607ftlbs	5.0
SD400CB165/20	400COR-BON	165gr JHP	1300fps/619ftlbs	5.0
SD10135/20	10MM Auto	135gr JHP	1400fps/588ftlbs	4.6
SD10150/20	10MM Auto	150gr JHP	1325fps/585ftlbs	4.6
SD10165/20	10MM Auto	165gr JHP	1250fps/573ftlbs	4.6
SD45165/20	45 Auto+P	165gr JHP	1250fps/573ftlbs	5.0
SD45185/20	45 Auto+P	185gr JHP	1150fps/543ftlbs	5.0
SD45200/20	45 Auto+P	200gr JHP	1050fps/490ftlbs	5.0
SD45230/20	45 Auto+P	230gr JHP	950fps/461ftlbs	5.0
SD45GAP200/20	45 GAP	200grJHP	950fps/401ftlbs	4.0
SD460185/20	460 Rowland**	185gr JHP	1425fps/834ftlbs	5.5
SD41M170/20	41 Rem Mag	170gr JHP	1275fps/614ftlbs	4.0
SD44M165/20	44 Rem Mag	165gr JHP	1300fps/619ftlbs	4.0
SD44S165/20	44 S&W Special	165gr JHP	1050fps/404ftlbs	4.0
SD45C200/20	45 Colt+P**	200gr JHP	1100fps/537ftlbs	4.0
SD458300/20	458 Socom	300gr JHP	1900fps/2405ftlbs	16.0
SD458405/20	458 Socom	405gr JSP	1600fps/2303ftlbs	16.0
SD2225040/20	22-250 Rem	40gr BlitzKing	4200fps/1567ftlbs	24.0
SD2225055/20	22-250 Rem	55gr BlitzKing	3700fps/1672ftlbs	24.0
SD24370/20	243 Win	70gr BlitzKing	3400fps/1797ftlbs	24.0
SD22340BK/20	223REM	40gr BlitzKing	3400fps/1027ftlbs	16.0
SD22355/20	223REM	55gr JHP	3000fps/1099ftlbs	16.0
SD22355BK/20	223REM	55gr BlitzKing	3000fps/1099ftlbs	16.0
SD308125/20	308WIN	125gr JHP	3100fps/2668ftlbs	24.0
SD762X39125/20	7.62x39	125gr JHP	2400fps/1600ftlbs	16.0

*** Not loaded to SAAMI Specifications • B/L is Barrel Length*

Celebrating over 25 years as *The Performance Leader*

Devin harvested this 656lb bull Moose with a 41" spread and 14 points. He used a Ruger 77 at 40 yards. - Devin Duff-Age 12; Williamstown, VT; 44MAG 320gr HC.

COR®BON started by making custom hunting ammunition for hunters going to Africa to shoot large and dangerous game.

COR®BON's bonded core soft point bullets are designed to retain their weight and stay together. Deep penetration, along with expansion are the key to excellent performance in large game.

COR®BON's Penetrator and Hard Cast lead loads are designed for large, tough skinned, heavy-boned game. A heavy full jacket is used with a hard linotype lead core for the Penetrator loads. The Hard Cast load is made from a hard linotype lead with a proven flat LBT nose design. These loads cause a through and through hole, even breaking the heaviest bone. Our customers have taken game as large as Moose and Brown Bear in Alaska and Cape Buffalo in Africa.

Part #	Caliber	Bullet Wt.	Velocity/Energy	B/L
HT10180BC/20	10MM Auto	180gr BCSP	1300fps/676ftlbs	4.6
HT10200PN/20	10MM Auto	200gr RNPN	1125fps/562ftlbs	4.6
HT300W150/20	300 Whisper	150gr JSP	1900fps/1203ftlbs	16.0
HT357180BC/20	357Mag	180gr BCSP	1200fps/576ftlbs	6.0
HT357200HC/20	357Mag	200gr HC	1150fps/587ftlbs	6.0
HT41210JHP/20	41 Rem Mag	210gr JHP	1350fps/850ftlbs	4.0
HT41250HC/20	41 Rem Mag	250gr HC	1325fps/975ftlbs	4.0
HT44AM240JHP/20	44 Auto Mag	240gr JHP	1450fps/1120ftlbs	6.0
HT440240/20	440CORBON	240gr JHP	1600fps/1365ftlbs	6.0
HT440260BHP/20	440CORBON	260gr BCHP	1650fps/1572ftlbs	6.0
HT44180JHP/20	44 Rem Mag	180gr JHP	1675fps/1122ftlbs	8.375
HT44240JHP/20	44 Rem Mag	240gr JHP	1475fps/1160ftlbs	8.375
HT44260BHP/20	44 Rem Mag	260gr BCHP	1450fps/1214ftlbs	8.375
HT44280BC/20	44 Rem Mag	280gr BCSP	1350fps/1133ftlbs	8.375
HT44300JSP/20	44 Rem Mag	300gr JSP	1250fps/1041ftlbs	8.375
HT44305FPPN/20	44 Rem Mag	305gr FPPN	1250fps/1058ftlbs	8.375
HT44320HC/20	44 Rem Mag	320gr HC	1175fps/981ftlbs	8.375
HT444M280BC/20	444 Marlin	280gr BCSP	2200fps/3009ftlbs	18.5
HT444M305FPN/20	444 Marlin	305gr FPPN	2100fps/2988ftlbs	18.5
HT45C265BHP/20	45Colt+P**	265gr BCHP	1200fps/848ftlbs	7.5
HT45C300JSP/20	45Colt+P**	300gr JSP	1300fps/1126ftlbs	7.5
HT45C335HC/20	45Colt+P**	335gr HC	1050fps/820ftlbs	7.5
HT454240JHP/20	454 Casull	240gr JHP	1450fps/1121ftlbs	7.5
HT454265BHP/20	454 Casull	265gr BCHP	1725fps/1751ftlbs	7.5
HT454285BC/20	454 Casull	285gr BC	1625fps/1672ftlbs	7.5
HT454300JSP/20	454 Casull	300gr JSP	1650fps/1814ftlbs	7.5
HT454320FPPN/20	454 Casull	320gr FPPN	1550fps/1708ftlbs	7.5
HT454335HC/20	454 Casull	335gr HC	1550fps/1788ftlbs	7.5
HT454360FPPN/20	454 Casull	360gr FPPN	1300fps/1351ftlbs	7.5
HT4570B350/20	45-70GOVT.**	350gr BC	1800fps/2519ftlbs	18.5
HT4570405FPN/20	45-70GOVT.**	405gr FPPN	1600fps/2303ftlbs	18.5
HT4570460HC/20	45-70GOVT.**	460gr HC	1650fps/2780ftlbs	18.5
HT460230/20	460 Rowland**	230gr JHP	1250fps/798ftlbs	5.5
HT460230FMJ/20	460 Rowland**	230gr FMJ	1250fps/798ftlbs	5.5
HT460255/20	460 Rowland**	255gr BC	1100fps/685ftlbs	5.5
HT460SW300/20	460S&W MAGNUM	300gr JSP	1750fps/2041ftlbs	8.375
HT460SW325/20	460S&W MAGNUM	325gr BC	1650fps/1965ftlbs	8.375
HT460SW395/20	460S&W MAGNUM	395gr HC	1525fps/2040ftlbs	8.375
HT500S350/12	500S&W SPECIAL	350gr JHP	1250fps/1215ftlbs	4.0
HT500S350FMJ/12	500S&W SPECIAL	350gr FMJ	1100fps/941ftlbs	4.0
HT500SW350/12	500S&W MAGNUM	350gr JHP	1600fps/1990ftlbs	8.375
HT500SW385/12	500S&W MAGNUM	385gr BC	1700fps/2471ftlbs	8.375
HT500SW400SP/12	500S&W MAGNUM	400gr SP	1625fps/2346ftlbs	8.375
HT500SW440HC/12	500S&W MAGNUM	440gr HC	1625fps/2580ftlbs	8.375
HT500SW500HC/12	500S&W MAGNUM	500gr HC	1500fps/2499ftlbs	8.375
HT762X39150/20	7.62x39	150gr JSP	2300fps/1762ftlbs	16.0

*** Not loaded to SAAMI Specifications • B/L is Barrel Length*

Celebrating over 25 years as *The Performance Leader*

Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L	Twist Rate
PM09147/50	9MM Luger	147gr FMJ	900fps/264ftlbs	4.0	1 in 10
PM22369/20	223 REM	69gr HPBT	3000fps/1379ftlbs	20.0	1 in 9
PM22377/20	223 REM	77gr HPBT	2800fps/1341ftlbs	20.0	1 in 9
PM243115/20	243 WIN	115gr DTAC	2900fps/2148ftlbs	24.0	1 in 7.7
PM260123/20	260 REM	123gr SCENAR	2950fps/2377ftlbs	25.0	1 in 8
PM260139/20	260 REM	139gr SCENAR	2750fps/2335ftlbs	25.0	1 in 8
PM260142/20	260 REM	142gr HPBT	2700fps/2299ftlbs	24.0	1 in 8
PM300WM190/20	300 WIN MAG	190gr HPBT	2900fps/3549ftlbs	25.0	1 in 11.25
PM308155/20	308 WIN	155gr SCENAR	2900fps/2895ftlbs	25.0	1 in 12
PM308168/20	308 WIN	168gr HPBT	2700fps/2720ftlbs	25.0	1 in 12
PM308175/20	308 WIN	175gr HPBT	2650fps/2730ftlbs	25.0	1 in 12
PM308190/20	308 WIN	190gr HPBT	2600fps/2853ftlbs	22.0	1 in 11.25
PM308S190/20	308 WIN	190gr HPBT Subsonic	1000fps/422ftlbs	16.0	1 in 10
PM32NAA71/50	32 NAA	71gr FMJ	1000fps/158ftlbs	2.5	1 in 16
PM338250/20	338 LAPUA**	250gr HPBT	3000fps/4997ftlbs	28.0	1 in 9
PM338300/20	338 LAPUA**	300gr HPBT	2800fps/5224ftlbs	28.0	1 in 9
PM338S300/20	338 LAPUA**	300gr HPBT Subsonic	1000fps/666ftlbs	20.0	1 in 9
PM38X147/50	38 SUPER	147gr FMJ	900fps/264ftlbs	5.0	1 in 16
PM38147/20	38 SPECIAL	147gr FMJ	900fps/264ftlbs	4.0	1 in 18.75
PM40165/50	40S&W	165gr FMJ	850fps/265ftlbs	4.0	1 in 16
PM400CB165/50	400 CORBON	165gr FMJ	1100fps/443ftlbs	5.0	1 in 16
PM45230/50	45 AUTO	230gr FMJ	750fps/287ftlbs	5.0	1 in 16
PM45GAP230/50	45GAP	230gr FMJ	750fps/287ftlbs	4.0	1 in 16
PM45AR230/50	45 AUTO RIM	230gr FMJ	750fps/287ftlbs	4.0	1 in 16
PM65X284123/20	6.5 x 284 NORMA**	123gr SCENAR	3000fps/2459ftlbs	24.0	1 in 8
PM65X284139/20	6.5 x 284 NORMA**	139gr SCENAR	3100fps/2967ftlbs	24.0	1 in 8
PM68115/20	6.8MM REM SPC	115gr HPBT	2400fps/1471ftlbs	16.0	1 in 10

*** Not loaded to SAAMI Specifications • B/L is Barrel Length*

COR®BON Performance Match ammunition gives you the leading edge in accurate tactical applications and competition. These loads are outstanding for long range shooting. They are available in both rifle and pistol loads.

We use world renowned match components such as Sierra, Berger, Montana Gold, Lapua Brass and Bullets. Performance Match ammo offers reduced recoil and muzzle signature.

COR®BON's Performance Match ammunition has been used successfully by elite Sniper teams. The COR®BON Sniper Team was awarded the top three positions in the 2007 Allegheny Sniper Challenge, against the most elite shooters in the world.

We believe that COR®BON's Performance Match ammunition will give you the confidence to become a champion.

Custom Load Development



Our excellent professional research and development department will find the best tailored load for your rifle or pistol. We use state of the art equipment to ensure your gun obtains peak velocity and supreme accuracy. This is a custom service done specifically for your gun. COR®BON Customs clientele will also receive test targets and ballistic drop charts out to 1000 yards.

Loaded Ammunition is available for both rifles and pistols at an additional cost.

For more information on this service please call: Pete Pi, Jr. 605-347-4544 or 800-626-7266

Starting at:
Rifles $249.00
Pistols $159.00

Dakota Ammo, Inc.
P.O. Box 369
1311 Industry Road
Sturgis, SD 57785

Glaser, LLC.
P.O. Box 173
1311 Industry Road
Sturgis, SD 57785

Phone: 800.626.7266 or 605.347.4544
Fax: 800.923.2666 or 605.347.5055

www.corbon.com

www.safetyslug.com

Hunting & Shooting Sports Heritage Fund

SAAMI
Sporting Arms and Ammunition Manufacturers' Institute, Inc.
Since 1926

National Shooting Sports Foundation

AMERICAN MADE. AMERICAN OWNED.